

predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

PHYSICAL-CHEMICAL HAZARDS

Do not use with or store near any oxidizing agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and use precautions.

USE RESTRICTIONS:

- This product may only be applied against the pests listed on this label, at the use sites listed on this label, and by the application methods listed on this label.
- This product may only be used to control pocket gophers** and moles* in manual, below-ground applications in lawns.
- Bait must be applied directly into the burrow or tunnel systems.
- Do not apply in gardens and areas where food or feed may become contaminated.
- Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.
- Do not apply this product by the use of an artificial burrow builder.
- Not to be sold in individual containers containing more than 1 lb. of product.

APPLICATION DIRECTIONS FOR POCKET GOPHERS:** Apply bait to control pocket gophers** using one of the two methods outlined below:

Plug Removal Method/Baiting:

Burrowing pocket gophers** (Thomomys spp. and Geomys spp.) throw out low, fan-shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. Using a long-handled spoon, carefully remove the plug. Insert one teaspoon of bait as far down as possible. Reclose opening, being careful not to cover bait with soil.

FPO

8 88603 03722 3
1005

* Not for mole use in California or Indiana. Not for use against star-nosed mole in North Carolina.

** Not for use against gophers in North Carolina.

Questions or Comments?
Call 1-877-332-0755
www.tomcat.com

Available Exclusively From:
Tomcat Brands
PO Box 190
Marysville, OH 43040

© 2016 Tomcat Brands. World rights reserved.

KILLS MOLES* & POCKET GOPHERS**

Main Runway Method/Baiting:

To locate main runways, probe about 6 to 8 inches away from mounds by use of an iron bar, a strong stick, or other suitable implement. Resistance on probe will drop suddenly and probe will fall about two inches when main runway is entered. Carefully enlarge the opening to accommodate insertion of the bait. Insert one teaspoon of bait into each active tunnel. Carefully close the hole with a stone, sod, or soil. Take care not to cover bait with soil.

APPLICATION DIRECTIONS FOR MOLES*: The presence of moles may be indicated by a network of surface ridges in the turf, and/or by a series of conical mounds of earth pushed up from deep burrows.

Surface Ridges:

Prior to treatment, determine which burrows are active according to one of the following two methods. Either press down a small section of the burrow or remove a one-inch section of the burrow's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened burrow has been raised up or if the roof has been repaired. Only treat active burrows. Carefully punch a hole in the top of an active tunnel, drop a teaspoonful amount of this product into the burrow and carefully close the hole with stone or sod. Do not collapse the tunnel again or allow loose soil to cover the bait. After a few days check to see if the moles are still active as described under "Surface Ridges" above. If so, repeat treatment.

Conical Mounds:

Remove center plug from the conical mounds with a long-handled spoon and drop a teaspoonful amount of this product into the underground runway. Close opening with stone or sod. Do not allow loose dirt to cover bait.

FOLLOW-UP: Wearing waterproof gloves, collect and dispose of dead, exposed animals. Dispose of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoons used for application into burrows. Do not use spoon for mixing, holding or transferring food or feed. If reinfestation does occur, repeat treatment.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partially filled: Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Tomcat Brands Guarantee: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

102715/07-15

KILLS MOLES* & POCKET GOPHERS**



MOLE & GOPHER BAIT.

This Product May Only be Used to Control Moles* & Pocket Gophers** in Manual, Below-Ground Applications in Lawns. Intended for Residential Use



KEEP OUT OF REACH OF CHILDREN CAUTION

See back and side panels for First Aid, additional precautionary statements, and Directions for Use.

EPA REG. NO. 90780-4
EPA EST. NO. 12455-WI-1

ACTIVE INGREDIENT:
Zinc Phosphide (CAS#1314-84-7) 2%
OTHER INGREDIENTS: 98%
TOTAL 100%

NET WT. 6 oz (168 g)

KILLS MOLES* & POCKET GOPHERS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long sleeved shirt and long pants, shoes plus socks and gloves. Remove and wash contaminated clothing before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-332-0755 for emergency medical treatment information.	
If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately.	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. • Do not drink water. • Do not administer anything by mouth or induce vomiting unless told to do so by the poison control center or doctor.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15–20 minutes. • Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other

5355C B17023